



AMFEC


AMERICAN FOOD EQUIPMENT COMPANY

WWW.AMFEC.COM



**FOOD PROCESSING
EQUIPMENT-LINE CARD**

ABOUT AMFEC



Founded in 1975, American Food Equipment (AMFEC) has established itself as a leader in the food industry by consistently providing high-quality equipment tailored to meet the specific needs of its customers. Our extensive product range, paired with our adaptable engineering capabilities, ensures that each customer receives equipment precisely suited to their application, rather than a generic solution.

Whether you need a single piece of equipment or a comprehensive turnkey system, AMFEC is equipped with the experience and technology to enhance your efficiency and productivity. Our commitment to delivering superior value means that you can rely on us for solutions that not only meet but exceed your expectations.


OUR VISION

Our mission at American Food Equipment (AMFEC) is to deliver high-quality, customized equipment solutions that meet the unique needs of each customer in the food industry. We are dedicated to enhancing efficiency and productivity through innovative engineering and technology, ensuring that our products provide exceptional value and drive success for our clients.

MISSION

Our vision at American Food Equipment (AMFEC) is to be the premier provider of innovative and tailored equipment solutions for the food industry. We aim to lead the market through technological advancements and unparalleled customer service, driving progress and excellence in food processing and manufacturing.

FOOD PROCESSING EQUIPMENT



BELT CONVEYOR

- Wide range of custom designs
- Available widths: 6" to 48"
- All types of belting are available



COLUMN LOADER

- 2" Diameter heavy-duty screw
- Heavy-duty "lift yoke" with safety nut
- Discharge from 32" up to 132"



VAT/COMBO DUMPER

- Standard dump heights from 42" up to 110"
- Custom heights and discharges are available
- 3,000 lb. standard lifting capacity – heavier capacities available



SCREW CONVEYOR

- All interior welds ground smooth
- Custom screw diameters and pitches
- Heavy duty flights (1/4"-1/2" thick)



SCREW LOADER

- Standard hopper capacities from 500lbs –10,000lbs
- Top agitator to prevent product bridging
- Heavy duty flights (1/4"-1/2" thick)



BRINE TANK

- Efficient and sanitary brine mixing tank solutions for meat and poultry marinades
- With or without an induction system for dry ingredients
- Capacities range from 100 gallons to 750 gallons



FOOD PROCESSING EQUIPMENT




MIXER/BLENDER

- Standard Capacities From 500lbs -15,000lbs
- VARIABLE PITCH agitators
- Standard – Cooling – Vacuum – Cook-In available



DRY INGREDIENT MIXER

- Solid agitator shaft with dual ribbons
- Manually or pneumatically operated slide valve for bottom discharge
- Standard capacities: 10 CU FT–100 CU FT



HORIZONTAL TUMBLER

- Standard Capacities 500lbs – 7,500lb
- Variable speed electric drive (2-12rpm)
- Tilt and non-Tilt available
- Programmable control panel with manual & automatic settings



TILT TUMBLER

- The machine can be loaded by tilting-lifter for 200/300l trolleys or bigger bins or by conveyor belts.
- Software allows to memorize 32 recipes
- Customizable rotation speed/rotation direction: clockwise/counter-clockwise



TROLLEY TUMBLER


- 400lb and 600lb carts can be used
- Interchangeable Blades: Customizable for various applications
- Vacuum Functionality: Controls vacuum levels for marination



VACUUM MASSAGER

- Standard capacities from 500lbs–15,000lb
- Multiple agitator options
- Internal safety grate with switch

FOOD PROCESSING EQUIPMENT



CONTINUOUS VACUUM STUFFER

- Pneumatically operated product load valve
- Vacuum stuffing capacity - up to 30,000lbs per hour (varies by product)
- CE units available



AIR PUMP

- Available in 4", 6", and 8" diameters with multiple hopper sizes
- Utilizes vacuum pressure to fill the pump, and air pressure to pump the product out with no damage
- Air operated – no motors



HOPPER

- 2" to 8" outlet sizes
- Sizes ranging from 500lb to 18,000lbs
- Polished interior
- Pumping options



PALLET LIFT

- Variety of top/shape options
- Standard Height: 40" / 72" / 96"
- Hydraulically actuated



CARTS/BUGGIES

- Capacities: 440lbs & 660lbs
- 14-gauge Stainless Steel with POLISHED interior & exterior
- Rolled reinforced lip



CART POSITIONER

- One or two cart options available
- All units are portable & air activated- No electrical required
- Compatible with 400lb and 600lb VEMAG Carts



FOOD PROCESSING EQUIPMENT



ERGO STAND

- Stainless Steel, open-frame construction
- Variable height adjustment from Floor Level to 11.75 inches
- Standard deck 24" wide x 20" deep



PRODUCT HANDLING TABLES

- Stainless Steel, open-frame construction
- Adjustable height with casters or anchor feet
- Many custom options available



MACERATOR

- Available in 34" wide and 22" wide
- Throughputs up to 15,000lbs per hour
- Multiple knife options

X-RAY DETECTION



BULK & PIPELINE SYSTEMS

- Multiple-sized units available
- Specialized poultry units
- Beverage machines available

METAL DETECTION



BULK & PIPELINE SYSTEMS

- Standalone and integrated units available
- Custom detection levels
- Direct connect to multiple stuffing and packaging machines



COMMITTED TO ENGINEERING & MANUFACTURING EXCELLENCE



Phone:

208-614-6030

Mail:

sales@amfec.com

Website:

www.amfec.com

Address:

4923 East Linden Street
Caldwell, ID 83605

SEE MORE ON
OUR WEBSITE

